amendment No. January 2020

tr

CHAPTER A3 APPROVED ON 27 APRIL 2015
AND COMMENCED ON 23 MAY 20 Part A Introduction and Administration

Repealed by MDCR 2015 Amendment No. Ton 2 January 2020

A3.1 Definitions

adaptation	as defined in the Burra Charter.
	Note: Means changing a place to suit the existing use or a proposed use.
aesthetic significance	as defined in NSW Heritage Manual, Heritage Office & Department of Urban Affairs and Planning, Sydney, 1996 (NSW Heritage Manual) - Assessing Heritage Significance.
	Note: Important in demonstrating aesthetic characteristics and/or a high degree of creative or technical achievement.
alter	in relation to a heritage item or to a building or work within a heritage conservation area means:
	make structural changes to the outside of the he itage item, building or work, or Inter-War flat building, or
	make non-structural changes to the detail, fabric, finish or appearance of the outside of the heritage item, building or work, but not changes that involve the maintenance of the existing detail, fabric, finish and appearance of the outside of the heritage item, building or work.
amenity	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual).
	Note: Refers to qualities of usefulness, comfort and pleasure in items and areas of the environment. Heritage arguments are often used incorrectly to defend items of areas when amenity considerations are more relevant and appropriate
attached dwelling	as defined in Woollahra LEP 2014.
	Note: Within the Paddington, Woollahra and Watsons Bay HCA contexts, this commonly takes the form of a building known as a terrace, where the terrace is part of a group of three or more dwellings.
attic	as defined in Woollahra LEP 2014.
boat shed	as defined in Woollahra LEP 2014.
Building Code of Australia (BCA)	the Building Code of Australia (BCA) is Volumes One and Two of the National Construction Code (NCC). The BCA has been given the status of building regulation by all States and Territories.
	The BCA contains technical provisions for the design and construction of buildings and other structures, covering such matters as structure, fire resistance, access and egress, services and equipment, and energy efficiency as well as certain aspects of health and amenity.
building envelope	the three-dimensional space within which a building is to be confined.
	I .



building height	as defined in Woollahra LEP 2014.
building line	as defined in Woollahra LEP 2014.
Burra Charter (and its guidelines)	the charter adopted by Australia International Council on Monuments and Sites (ICOMOS), which establishes the nationally accepted principles for the conservation of places of cultural significance.
character	the combination of features and qualities of a place.
coastal inundation	the storm-related flooding of coastal lands by ocean waters due to elevated still water levels (storm surge) and wave run-up.
compatible use	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual).
	Note: A use for a heritage item which involves no change to its culturally significant fabric, changes which are substantially reversible or changes which make a minimal impact.
conservation	as defined in Heritage Terms and Abbreviation. (NSW Heritage Manual).
	Note: All the processes of looking after an item so as to retain its cultural significance. It includes maintenance and may, according to circumstances, include preservation, restoration, reconstruction and adaptation and will be commonly a combination of more than one of these.
conservation policy	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual).
	Note: A proposal to conserve a heritage item arising out of the opportunities and constraints presented by the statement of heritage significance and other considerations.
context	the particular built, natural, historical and/or social characteristics of a building or place's setting.
contributory building	o building that makes an important and significant contribution to the character and significance of the heritage conservation area. It has a reasonable to high degree of integrity and dates from a key development period of significance of a heritage conservation area.
	A building which:
Kapa	due to its materials, detailing, finishes, scale, form, siting and landscaping makes a positive impact and contribution to the streetscape character and to the cultural significance of the heritage conservation area; and
	due to its materials, detailing, finishes, scale, form, siting and landscaping makes a positive impact and contribution to the streetscape character and to the cultural significance of the heritage conservation area; and
	is from a significant historical period and is highly or substantially

	intact; oris from a significant historical period and is altered yet recognisable and reversible.
contributory item	a building, work, archaeological site, tree or place and its setting, which contributes to the heritage significance of a conservation area.
cultural landscape	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual).
	Note: Those areas of the landscape which have been significantly modified by human activity. They include rural lands such as farms villages and mining sites, as well as country towns.
cultural plantings	plants including native plants that were planted for a deliberate purpose (see also 'significant cultural plantings').
curtilage	as defined in Woollahra LEP 2014.
deep soil landscaped area	the area of the site that contains landscaped area which has no above ground, ground level or subterranean development.
	Note: 'landscaped area' is defined in Woollahra LEP 2014.
demolish	as defined in Woollahra LEP 201-1.
dormer	a structure comprising a wnoow, roof and side walls projecting from a sloping roof.
dual occupancy	as defined in Woo lahra LEP 2014.
dwelling	as defined in Woollahra LEP 2014.
dwelling house	as de fined in Woollahra LEP 2014.
Eastern suburbs banksia scrub	vege ation within the Watsons Bay, Camp Cove and Sydney Harbour National Park areas, which is endemic to these areas.
ecologically sustainable development	has the same meaning as in the <i>Environmental Planning and Assessment</i> Act 1979.
educational establishment	as defined in Woollahra LEP 2014.
excavation permit	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual).
	Note: A permit issued by the Heritage Council of New South Wales under section 60 or section 140 of the <i>Heritage Act 1977</i> to disturb or excavate a relic.



fabric	physical material or substances. In the case of a building, fabric would include materials such as brick, stone, timber, mortar, glazing, iron, steel, terracotta and slate.
façade	the elevation of a building facing the street/s.
floor space ratio	as defined in Woollahra LEP 2014.
form	in relation to a building, means its overall shape and configuration of components.
freeboard	a factor of safety typically used in relation to the setting of flood planning levels. It compensates for uncertainties in the estimation of flood levels across the floodplain, such as wave action, localised hydraul c behaviour and impacts that are specific event related, such as level and embankment settlement, and other effects such as sea level rise.
gross floor area	as defined in Woollahra LEP 2014.
ground level (existing)	as defined in Woollahra LEP 2014.
group	a number of related buildings that form a group, that may include pairs of buildings and terrace groups
	Groups of related buildings display shared characteristics such as an original builder, architectural style, form, scale and details.
	In some instances, lerrace groups can include sub-groups where a group comprises a range of buildings, e.g. corner commercial buildings integrated into errace house groups.
habitable room	as defined in the Building Code of Australia (BCA).
	Note Habitable room means a room used for normal domestic activities, and:
NOC)	includes a bedroom, living room, lounge room, music room, television room, kitchen, dining room, sewing room, study, playroom, family room and sunroom; but
60011	b) excludes a bathroom, laundry, water closet, pantry, walk-in wardrobe, corridor, hallway, lobby, photographic darkroom, clothesdrying room, and other spaces of a specialised nature occupied neither frequently nor for extended periods.
heritage conservation area	as defined in Woollahra LEP 2014.
heritage conservation management plan	as defined in Woollahra LEP 2014.

heritage impact	as defined in Woollahra LEP 2014.
heritage item	as defined in Woollahra LEP 2014.
heritage significance	as defined in Woollahra LEP 2014.
infill development	is new development, usually a whole new building, within the context of an existing built up area. Infill development may occur where an existing building is to be demolished or where there is a vacant lot.
integrity	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual).
	Note: A heritage item is said to have integrity if its assessment and statement of significance is supported by sound research and analysis, and its fabric and curtilage are still largely intact.
Inter-War flat building	a building of two or more storeys and containing two or more dwellings, constructed in the period from c.1918 to c 1950.
intrusive development	development which is inappropriate to the significant heritage character of a heritage conservation area due to its form, scale, bulk, materials and proportions and which adversely effects adjoining buildings, the streetscape and general character of the area.
jetty	as defined in Woollahra LEP 2014.
landscaped area	as defined in Woo lahra LEP 2014.
LEP	Woollahra Local Environmental Plan 2014.
local significance	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual).
	Note I tems of heritage significance which are fine examples, or rare, at the local community level.
loggia	an open sided, roofed space attached to the side of a building.
maintenance	as defined in Woollahra LEP 2014.
mixed use development	as defined in Woollahra LEP 2014.
obvable heritage	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual).
	Note: Heritage items not fixed to a site or place (for example, furniture, locomotives and archives).
multi dwelling housing	as defined in Woollahra LEP 2014.



has the same meaning as in the Native Vegetation Act 2003.
ventilation by natural airflow, unassisted by mechanical means, through doors, operable windows and louvres.
a buildings that does not contribute or detract from the significant character of the heritage conservation area.
Neutral buildings are:
from a significant historical period, but altered in form, unlikely to be reversed;
sympathetic contemporary infill; or
from a non-significant historical period but do not detract from the character of the heritage conservation area.
refer 'habitable room' in the Building Code of Adstralia (BCA).
Note: A non-habitable room is a bathroom, Paundry, water closet, pantry, walk-in wardrobe, corridor, hallway, lobby, photographic darkroom, clothes-drying room, and other spaces of a specialised nature occupied neither frequently nor for extended periods.
the orientation range within 20 west and 30° east of true solar north.
a document prepared by the NSW Heritage Office which comprises a series of publications explaining the three steps of the NSW Heritage Management System and how they can be applied.
define the intercion of each control element and/or indicate the desired outcomes to be achieved in the completed development.
the plays cal materials and substances belonging to the initial construction phase of a place that contribute to heritage significance.
In the case of a building, original significant fabric would include all the original materials of the principal building form and extant external materials of the secondary wing, if the form is intact and the external materials are substantially intact.
an upstanding wall or barrier placed at the edge of a platform, balcony or roof.
design principles that aim to prevent unwanted heat, in the form of sunlight, entering the building during summer and to maximise solar access into the building during winter. Building orientation, the location and treatment of glazing, thermal mass, insulation, and ventilation all work to exclude and dissipate heat in summer and retain and capitalise on heat in winter.

pavilion	A structure which must be located at the rear of the existing building, which is separated from the principal building by a lightweight linking structure
place	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual).
	Note: A site, area or landscape or group of works, together with associated structures, contents and surrounds.
preservation	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual)
	Note: Maintaining the fabric of a place in its existing state and retarding deterioration.
principal elevation	the elevation of a building that faces a public space. Buildings may contain more than one principal presenting elevation such as an A-typical triangular shaped lot.
principal roof form	the principal roof plane/s located over the principal building form (predominantly the front building section)
private domain	all land which is privately owned and which is not included in the public domain.
private open space	as defined in Woollahra LER 2014.
public domain	all land which is owned by a public authority and includes roads, footpaths, laneways and parks.
rarity	as defined in Alsessing Heritage Significance (NSW Heritage Manual).
	Note: Possesses uncommon, rare or endangered aspects of the area cultural or natural history.
reconstruction	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual).
, 10C	Note: Returning a place as nearly as possible to a known earlier state by the introduction of new or old materials into the fabric (not to be confused with conjectural reconstruction).
representativeness	as defined in Assessing Heritage Significance (NSW Heritage Manual).
4016	Note: It is important in demonstrating the principal characteristics of a class of the area's cultural or natural places or cultural or natural environments.
residential flat building	as defined in Woollahra LEP 2014.



restoration	as defined in Heritage Terms and Abbreviations (NSW Heritage Manual). Note: Returning the existing fabric of a place to a known earlier state by removing accretions or by reassembling existing components without the introduction of new material.
reverse skillion	where the presenting outer edge of an attached skillion roof form is located at a height above the point of attachment or in the case of a single unattached roof plane where the highest presenting end of the roof plane contains an eave overhang.
reviewable condition	 as defined in the Environmental Planning and Assessment Act 1979 (\$30A) Note: means any of the following: a) a condition that permits extended hours of operation (in addition to other specified hours of operation), b) a condition that increases the maximum number of persons permitted in a building (in addition to the maximum number otherwise permitted).
roof terrace	a trafficable roof of a building (or part thereof) (including a garage or carport) which has the potential to be used for the purpose of private open space, storage or roof garden and which is either open to the sky or partly covered by a non-continuous shade device.
roofscape	a view or expanse of roofs including their pitch and form, and elements such as chimneys, parapets, party walls, guttering and roof materials.
row	a continuous line of buildings. Attached housing or terrace style housing is predominantly constructed in rows.
sandstone heath	heath and scrub which is found on shallow exposed sandstone-derived soils which border the sea coast, and extend to varying distances inland, or where drainage is impeded by rock shelves or shale lenses.
scale	the size of a building and its relationship with surrounding buildings and andscape.
seawall	a structure placed partially or wholly along the land/water interface to protect the land from the sea or to stop accelerated erosion of the shoreline, but does not include a breakwater.
secondary e'evation	those elevations behind the principal building form.
semi-detached	as defined in Woollahra LEP 2014.
dwelling	Note: Within the Paddington and Woollahra HCA contexts, this commonly takes the form of a building known as a terrace, where the terrace is attached to only one other dwelling.
sensitive marine	the environment in which any of the following ecological communities



environment	exist along the harbour foreshore within the Woollahra Municipality, as identified in the Development Control Plan for Sydney Regional Environmental Plan (Sydney Harbour Catchment) 2005:
	rocky intertidal;
	sandy intertidal;
	▶ grassland;
	seagrass beds;
	mixed sandy intertidal and rock shelf; and
	mixed rocky intertidal and sand.
setback	as defined in Woollahra LEP 2014 (refer to building line or setback).
shopfront elevation	the elevation to the street including the areas above and below an awning.
side boundary fence	a fence separating allotments or on a side street, in the case of a corner site, but does not include a fence within the street front zone.
significant cultural plantings	plants including native plants that vere planted for a deliberate purpose and which reflect the taste or father of a particular period or were associated with a person or event of historical significance.
significant tree	a tree identified on Courcil's significant tree register.
significant views	views and vistas from streets and public reserves which strongly contribute to a sense of place and cultural identity.
site area	as defined in Voollahra LEP 2014.
soffit	the tower face or visible surface of a ceiling, eave, projecting slab or the like.
solar access	the amount of direct access to sunlight enjoyed by a building, room or open space.
spa pool	as defined in the Swimming Pools Act 1992.
State nantage significance	as defined in the Heritage Act 1977.
storey	as defined in Woollahra LEP 2014.
street alignment	the horizontal shape of the street reserve boundary.
street front zone	comprises the front building elevation and visible roof, front yard, the side boundary fences in the front yard and the street boundary fence.

