

Chapter D6 Rose Bay Centre

Part D ► Business Centres

CHAPTER D6 APPROVED ON 27 APRIL 2015
AND COMMENCED ON 23 MAY 2015

Last amended on 30 August 2021

Repealed by WDCP 2015 Amendment No.23 on 8 December 2023

Chapter D6 ► Rose Bay Centre

Contents

D6.1	INTRODUCTION	1
	D6.1.1 Land where this chapter applies	1
	D6.1.2 Development to which this chapter applies.....	2
	D6.1.3 Objectives.....	2
	D6.1.4 Relationship to other parts of the DCP.....	4
	D6.1.5 How to use this chapter.....	4
D6.2	UNDERSTANDING THE CONTEXT	7
	D6.2.1 Siting	7
	D6.2.2 Historical development	7
	D6.2.3 Built form.....	7
	D6.2.4 Public parks and facilities	8
	D6.2.5 Access and circulation	8
D6.3	URBAN STRUCTURE	9
D6.4	STREET CHARACTER	11
	D6.4.1 New South Head Road.....	12
	D6.4.2 Newcastle Street	13
	D6.4.3 Dover Road	15
	D6.4.4 Wilberforce car park edge.....	16
	D6.4.5 Wilberforce Avenue.....	17
	D6.4.6 Richmond Road	18
	D6.4.7 Norwich Road	19
	D6.4.8 Caledonian Road	20
	D6.4.9 Collins Avenue.....	21
	D6.4.10 Vickery Avenue.....	22
D6.5	BUILT FORM ENVELOPES: CONTROL DRAWINGS.....	23
	D6.5.1 Urban form methodology	23
	D6.5.2 Explanatory legend	24
	D6.5.3 Rose Bay Centre urban form	25
	D6.5.4 Control drawing 1	26
	D6.5.5 Control drawing 2	27
	D6.5.6 Control drawing 3	28
	D6.5.7 Control drawing 4.....	29
	D6.5.8 Control drawing 5	30

D6.6	BUILT FORM: DEVELOPMENT OBJECTIVES AND CONTROLS	31
D6.6.1	General format	31
D6.6.2	Use.....	32
D6.6.3	Urban character	33
D6.6.4	Visual and acoustic privacy.....	47
D6.6.5	Private open space	51
D6.6.6	Solar access and natural ventilation.....	56
D6.6.7	Parking and servicing.....	58
D6.6.8	Geotechnology and hydrogeology	61
D6.6.9	Site facilities.....	62
D6.6.10	Application of bonuses.....	64

Repealed by WDCP 2015 Amendment No.23 on 8 December 2023

D6.1 Introduction

This is Chapter D6 of the Woollahra Development Control Plan 2015 (DCP), Part D Business Centres. It establishes detailed controls to guide future development in the Rose Bay Centre.

Rose Bay is a unique local centre which enjoys a privileged position adjacent Sydney Harbour at the foot of the South Head peninsula. The historical development of Rose Bay has focused the centre on New South Head Road. The consistent scale of buildings and the distinctive landscape quality evoke an appealing urban village character which is warmly valued by local residents and users of the centre.

D6.1.1 Land where this chapter applies

This chapter applies to the Rose Bay Centre, as identified in Figure 1.

FIGURE 1 Location plan




FIGURE 2 View of Rose Bay from the harbour

D6.1.2 Development to which this chapter applies

This chapter applies to development that requires development consent.

Generally this will be mixed use retail, business, office and /or residential development, but may also include permitted uses such as child care centres, community facilities, and other uses as permitted by Woollahra LEP 2014.

Development within the Rose Bay Centre should retain and enhance the village character of the centre.

D6.1.3 Objectives

The Rose Bay Centre should develop into a high quality medium density urban village with a balanced mix of retail, commercial, residential and leisure uses, which cater primarily for the needs of the local community.

The intention of this chapter is to strengthen and enrich the existing urban structure of the Rose Bay Centre as follows:

- O1 To retain and enhance the village atmosphere of the Rose Bay Centre.
 - a) To encourage contiguous ground floor retail frontage to ensure liveliness of the centre;
 - b) To limit the width of street frontage of individual shops to preserve the 'small shop' character of the centre;
 - c) To promote a coherent building scale and high quality development;
 - d) To retain and improve the pedestrian environment by encouraging through block pedestrian connections at nominated locations, and requiring continuous awnings in nominated areas;
 - e) To enhance the way development contributes to a sense of place;
 - f) To improve vehicle parking and servicing in the centre and reduce vehicular and pedestrian conflicts;
 - g) To enhance the public domain of Rose Bay Centre by considering the Public Domain Improvement Plan and Streetscape Design Manual 1999; and

- h) To encourage the provision of community services and facilities as part of site redevelopments.
- 02 To improve the connections between the Rose Bay Centre and the harbour foreshore.
 - a) To encourage the creation of a public square between New South Head Road and Collins Avenue, opposite Percival Park;
 - b) To encourage the construction of pedestrian arcades as part of developments in nominated locations, to improve public access through to the foreshore; and
 - c) To maximise views to the water from the public domain.
- 03 To create a memorable image for Rose Bay.
 - a) To create defined entrances to the centre;
 - b) To provide a stronger public domain focus to the centre; and
 - c) To provide direction and certainty of outcome in relation to build form to ensure:
 - a coherent street scale;
 - that new development meets the desired future character;
 - a variety of building types; and
 - a high level of amenity.
- 04 To improve the Rose Bay Centre’s public domain.
 - a) Improve the public domain of Rose Bay by using the Public Domain Improvement Program and the Streetscape Design Manual to inform changes;
 - b) Identify the location of and building envelopes surrounding a new public square in the centre, which support the use of bonus height and FSR controls in the Woollahra Local Environmental Plan 2014 (Woollahra LEP 2014);
 - c) To improve pedestrian amenity throughout the centre; and
 - d) To retain the important role that public transport plays in the Rose Bay Centre.
- 05 To foster the diverse mix of uses in the Rose Bay Centre.
 - a) To retain and enhance the combination of retail, commercial, public and residential uses that characterise Rose Bay; and
 - b) To encourage a range of flexible accommodation to support the diverse mix of uses in the centre.
- 06 To conserve and enhance the visual and environmental amenity of all buildings and places of significance in the centre.
 - a) To identify character buildings within the Rose Bay Centre; and
 - b) To ensure that alterations and additions to character buildings and heritage items are compatible in scale, form and material with these buildings and items, and adjoining developments.
- 07 To improve traffic and parking management in the centre and reduce vehicle and pedestrian conflicts.

- a) To identify parking and servicing arrangements for the centre.
- 08 To introduce stormwater management measures to control localised flooding, stormwater quality and quantity, and improve the visual and environmental impact of stormwater drainage, particularly at the harbour foreshore.
 - a) To facilitate the creation of the Rose Bay Square between New South Head Road and the drainage reserve off Collins Avenue to mitigate against local flooding of the centre;
 - b) To improve the visual and environmental impact of existing stormwater outlets into Rose Bay; and
 - c) To coordinate overland flow management with public domain improvements.
- 09 To enhance the diverse character of streets in the Rose Bay Centre.
 - a) To carry out public domain improvements to preserve and enhance the unique character of the individual streets in the centre; and
 - b) To provide specific design criteria for both public and private domain to allow for, and enhance the character of, individual streets.

D6.1.4 Relationship to other parts of the DCP

This chapter is to be read in conjunction with the other parts of the DCP that are relevant to the development proposal, including:

- ▶ Part E: General Controls for All Development – this part contains chapters on Parking and Access, Stormwater and Flood Risk Management, Tree Management, Contaminated Land, Waste Management, Sustainability, Signage and Adaptable Housing.
- ▶ Part F: Land Use Specific Controls – this part contains chapters on Child Care Centres, Educational Establishments, Licensed Premises and Telecommunications.

D6.1.5 How to use this chapter

This chapter is applicable to all development and redevelopment work on private land in the Rose Bay Centre.

The Rose Bay Public Domain Improvements Plan (1999) should also be used as a guide to works in the public domain, and includes details of street tree planting, footpaths, street furniture, and vehicular and pedestrian crossings.

This chapter of the DCP is structured as follows:

D6.1 Introduction

General information about this chapter, including why the chapter was prepared, its aims, and its relationship to other planning documents.

D6.2 Understanding the context

Provides a summary description of the existing urban context. For a more detailed analysis refer to the Rose Bay Centre Urban Design Study, upon which this chapter was based.

D6.3 Urban structure

Provides an understanding of the current urban structure of the centre, and identifies whether the site is located in the Core Area or a Transition Area. Objectives for the future character, form and function of the Rose Bay Centre are described here.

D6.4 Street character

Specifies the desired future character of the street(s) in which the site is located.

Using the built form controls

The development controls are derived from the Rose Bay Centre Urban Design Study. They respond to the objectives set out in Section 6.1.3 and the desired future character described in Section D6.4. Controls have been designed for each individual site in the Rose Bay Centre to optimise development, whilst taking into consideration the potential of adjoining properties and public spaces. This Urban Form Methodology provides a greater certainty of outcome for Council, community and site owners.

Built form controls in the Rose Bay Centre are expressed in:

- graphic form as *building envelopes* on the *control drawings*; and
- written and illustrated form as *development controls*.

These controls must be used in conjunction.

D6.5 Built form envelopes: Control drawings

The controls are in the form of building envelopes, which set the position of development on each site.

There are two control drawings for every site in the Rose Bay Centre showing:

- the ground floor level controls; and
- the upper floor level controls.

The control drawings are accompanied by a descriptive legend, and further explanation is provided in Section D6.6.

D6.6 Development objectives and controls

These explain in written and illustrated form the following four areas of building development:

1. **Use:** Refers to building use such as retail, commercial and residential.
2. **Urban character:** Includes building envelopes, setbacks, heritage, architectural resolution, roof design, awnings, public art, privacy, signage and advertising, and outdoor eating.

3. **Open space:** Includes landscaped area, above ground open space such as balconies and roof terraces, and front fences.
4. **Solar access:** Deals with provision of sunlight to the public and private domain.

Three dimensional images assist in the interpretation of the development guidelines and controls.

A special section deals with the application of bonuses as incentives to the provision of specific public benefits. Applicants seeking bonuses should also refer to the Rose Bay Public Domain Improvements Plan.

All applications will be determined on their individual merits. Applications which depart from any controls or seek concessions for provision of public services or facilities should address:

- ▶ why the specific guidelines or controls should be relaxed for the subject site;
- ▶ how the village atmosphere of the Rose Bay Centre will be maintained; and
- ▶ the urban design and economic benefits to the centre that will result from the proposal.

D6.2 Understanding the context

D6.2.1 Siting

The Rose Bay Centre is strategically located at the neck of the Eastern Suburbs peninsula, one block from the harbour, just north of the large park system and recreational area which occupies the lowest part of the Rose Bay basin.

Important distinguishing characteristics of the centre are its consistent low to medium scale buildings, exceptional landscape quality, and diverse mix of local services, residential apartments and commercial uses, which combine to produce a distinctive village character.

The centre straddles New South Head Road, around its intersections with Dover Road and Newcastle Street. These two streets play an important role as urban connectors, linking New South Head and Old South Head Roads.

D6.2.2 Historical development

The building stock in and around the centre represents a cross section of 20th century architecture of varying quality. Originally part of a series of large private land grants, Rose Bay's early urban development intensified with the extension of the tramline along New South Head Road after 1898.

Due to its key location at two intersections, the centre was able to develop along Newcastle Street and Dover Road. The estates were subdivided and resubdivided between 1900 and 1930 producing the small lots which characterise the centre today. Larger sites generally occur at the fringe of the commercial centre, the result of recent amalgamations.

St Mary Magdalene Church and tower, the Rose Bay Hotel on the corner of Dover Road, the former post office, the Royal Sydney Golf Course and five Norfolk Island pines in Vickery Avenue are the listed heritage items in the immediate vicinity. These buildings and trees contribute prominently to the area's character and help form the established image of Rose Bay. Character buildings that are of architectural merit and are important within the urban form and streetscape of the centre are identified in this chapter of the DCP.

D6.2.3 Built form

There are a surprising number of single storey and two storey buildings in the centre, given the statutory LEP maximum building height (14.1m). With few exceptions the four storey buildings are relatively new. There are two residential towers, developed in the 1960s and 1970s, of six and eight storeys between New South Head Road and the Harbour. The only other tall building element is the tower of St Mary Magdalene Church on New South Head Road.

D6.2.4 Public parks and facilities

There are two pocket parks, Pannerong Reserve and Percival Park, within the centre and two others, Tingira Reserve and Caledonian Road, on its periphery. All of these parks, with the exception of Pannerong Reserve, enjoy harbour frontage, but are underutilised due to their poor amenity and visibility from the centre. Opportunities exist for the improvement of existing pocket parks and creation of new squares, to provide accessible outdoor spaces in the centre where people can rest while shopping or to eat lunch.

There are numerous leisure facilities in the vicinity; however no community buildings exist in the centre.

D6.2.5 Access and circulation

There is a strong pedestrian ambience in the centre due to the relatively continuous street activity, compact layout and low to medium building scale. Improved footpaths and crossings would increase pedestrian amenity, and reduce the potential for pedestrian/traffic conflict which exists in some areas. Better pedestrian access to the harbour foreshore would benefit the centre.

The Parking Strategy contained within the Public Domain Improvements Plan should be used as a guide to improve parking management.

D6.3 Urban structure

Urban structure comprises the inter-relationship of topography and orientation, street layout, pattern of buildings, location of parks and public facilities, and any special natural or human made features, of a given area. The Rose Bay Centre is located in a valley close to the harbour foreshore, surrounded by gracious residential areas to the north and east, and an extensive system of recreational facilities to the south-west, encompassing parks, golf courses, tennis courts, and a sailing club.

The Rose Bay Centre has a strong urban village character, due in a large part to its neighbourhood scale, variety of retail and local service establishments, and friendly pedestrian ambience. Despite these attributes, the built form generally lacks cohesion due to the broad palette of materials used in buildings of different eras, and the varying architectural quality. A more distinctive building fabric has the potential to further consolidate the centre's presence.

The centre is contained within a few blocks, but currently lacks a focus. Some of the most exceptional features of the area, such as the proximity of the harbour and numerous pocket parks, have little presence in the centre. There is the potential to improve access between the existing foreshore parks and the beach, allowing continuous waterfront access from Lyne Park in the west to Dumaresq Reserve in the east. There is also tremendous opportunity to visually connect Pannerong Reserve in the centre and Percival Park on the foreshore, by creating a square at the end of Newcastle Street, to make a unique and memorable focus for Rose Bay.

This chapter identifies the Core Area, Transition Area and Entrances (see Figure 3 Urban structure) within the Rose Bay Centre. This classification reinforces the existing urban structure, and enhances its complexity, providing opportunities for different buildings types and uses, in various parts of the centre.

FIGURE 3 Urban structure



The Core lies between the intersections of New South Head Road with Dover Road and Newcastle Street, and reflects this historically significant route to Watsons Bay. It is the focus of retail activity, defined by buildings which abut the footpath and awnings above, which distinguish it from the surrounding leafy areas. Development in the Core should reinforce its more intense urban quality.

The Transition Areas lie outside the Core in the vicinity of the recreational areas and residential zones, and are an important buffer to these areas. They do not contain the same level of retail activity as the Core but provide residential and commercial uses. They are generally characterised by less continuous building frontage and a stronger landscape presence. The Transition Areas should provide a gradation in development intensity from the Core to the residential and recreational areas.

Entrances are the primary entry points to the centre along New South Head Road, Newcastle Street and Dover Road. Entrances should be more clearly defined to strengthen the centre's containment, enriching the contrast between this busy pedestrian area and its quieter environs.

D6.4 Street character

The street is the primary organising element of urban structure. The street edge is the place where the public and private domains meet. By defining a particular vision for each street, public domain improvements and private development can be coordinated to produce a desired outcome.

This section of the chapter describes the desired future character of each street in the Rose Bay Centre, based on a synthesis of the public domain objectives set out in Section 6.1.3. The Rose Bay Centre Public Domain Improvements Plan should be used as a guide to works in the public domain, such as street tree planting, footpath design, street furniture and traffic devices. Applicants should also seek advice from Council's Technical Services Division.


The following is provided for each street in the centre:

- street strategies, which briefly outline the urban design criteria for each street; and
- annotated street sections, which indicate the existing development context and illustrate the desired future character.

This information sets the context for development controls described in Section D6.5 and D6.6, and streetscape changes in the Public Domain Improvements Plan.

D6.4.1 New South Head Road

Core area



Strategy

- Identify and reinforce the core of the Rose Bay Centre, by encouraging retail activity, and enhancing its built edge urban quality.

North-western side

Parapets encouraged


Incorporate sound attenuation devices such as wintergardens

Continuous awnings

Build to the street alignment with glazed retail frontage at street level and commercial / residential above

No vehicular crossings - vehicular access permitted at the rear

Transition area



South-eastern side

Build to the street alignment with masonry walls and loggias above street level

Commercial/residential uses above street level

Typical profile of existing buildings

Glazed retail frontage at street level



Strategy


- Create a transition between the Rose Bay Centre core and the recreational/landscape area towards Lyne Park, with a portion of street defined by street trees and a discontinuous wall of buildings on the harbour side.

North-western side

Incorporate sound attenuation devices

Typical profile of existing buildings (dashed outline)

Minimise vehicular crossings




South-eastern side

A variety of roof forms is encouraged

Discontinuous awnings accommodate street tree planting and highlight building entries

D6.4.2 Newcastle Street

Core area



Strategy


- Reinforce the built street frontage and establish a connection between Pannier Reserve and the harbour by improving the landscape quality in Newcastle Street.

Western side

Parapets encouraged

Street trees in the median create an intimate scale of street

Build to the street alignment with glazed retail frontage at street level



Eastern side


Build to the street alignment with masonry walls and loggias above street level

Continuous awnings

Typical profile of existing buildings (dashed outline)

No vehicular crossings - vehicular access permitted at the rear

Transition area



Strategy

- ▶ Create a transition opposite Pannierong Reserve to denote the residential area from the centre.

Western side

A variety of roof forms is encouraged

Typical profile of existing buildings


Commercial/residential uses above street level

Entry canopies allowed

Commercial uses at street level

Build to the existing building alignment with front gardens/courtyards at street level

Minimise vehicular crossings



Eastern side


Buildings encouraged to overlook the Pannierong Reserve

Street trees in the median create an intimate scale of street

FIGURE 4 View down Newcastle Street to New South Head Road



D6.4.3 Dover Road



Strategy

- Create a distinctive framed urban shopping street, defined by retail frontage at street level, with buildings above set back on terraces above, to improve visibility to the Rose Bay Hotel.


South-western side

Profile of the Rose Bay Hotel

Parapets encouraged

Build behind roof terraces above street level with masonry walls and loggias to enhance the amenity of development and increase the visibility of the Rose Bay Hotel

Continuous awnings



North-eastern side

Build to the street alignment with masonry walls and loggias above street level on the corner site only, to highlight the entrance to New South Head Road

Commercial/residential uses above street level

Build to the street alignment with glazed retail frontage at street level

No vehicular crossings – vehicular access permitted at the rear

D6.4.4 Wilberforce car park edge



Strategy

- Define the southern edge of the centre and provide pedestrian access through the existing car park site.


North-western side

Encourage parapets

Build to the street alignment with masonry walls and loggias above ground level

Build to the boundary alignment with glazed retail frontage at ground level

Typical profile of existing buildings



South-eastern side


A variety of roof forms is encouraged

Commercial/residential uses above ground level

Build to the street alignment with walls, loggias and balconies which overlook the street

Commercial uses at ground level

D6.4.5 Wilberforce Avenue




Strategy

- Reconfigure the street alignment to provide a memorable termination to Wilberforce Avenue maintaining the public open space.

South-western side

Supplement the existing tree planting

Angled parking along Pannerong Reserve



North-eastern side

For residential zoned land refer to Part B of this DCP

Buildings encouraged to overlook Pannerong Reserve

Build to the street alignment in the commercial zone


A variety of roof forms is encouraged

Commercial/residential uses above street level

Commercial uses at street level

Minimise vehicular crossings

D6.4.6 Richmond Road



Strategy


- ▶ Retain the unique character of this predominantly residential street on the periphery of the centre, defined by mature street trees and a discontinuous wall of buildings.

South-eastern side

Maintain the existing street trees

Typical profile of existing buildings

For residential zoned land refer to Part B of this DCP



North-western side

A variety of roof forms is encouraged

Encourage office and other non-retail commercial uses on the ground floor to provide a transition to nearby residential development.


Build walls with windows, loggias and balconies which overlook the street

Build to the existing building line with front gardens/courtyards at street level

Minimise vehicular crossings

Build to the street alignment at the intersection with Newcastle Street to reinforce the corner

D6.4.7 Norwich Road



Strategy


- Create a defined edge, in terms of both landscape and built form definition, between the centre and the recreational/landscape area in the vicinity of Lyne Park and the Royal Sydney Golf Course.

South-western side

Maintain the existing street trees

Supplement the existing street tree planting

New footpath



North-eastern side

Build to the street alignment with windows, loggias and balconies which overlook the street


Commercial/residential uses above street level

Commercial uses at street level

Typical profile of existing buildings

Minimise vehicular crossings

D6.4.8 Caledonian Road



Strategy

- ▶ Retain the unique character of this landscaped residential street to the harbour.

South side


Maintain the existing street trees

Build to the street alignment with windows, loggias and balconies which overlook the street

Commercial/residential uses above street level

Access to street level retail frontage is not permitted

Minimise vehicular crossings




North side


Typical profile of existing buildings

For residential zoned land refer to Part B of this DCP

FIGURE 5 View down Caledonian Road looking towards the harbour



D6.4.9 Collins Avenue



Strategy

- Create a small urban street defined by private tree plantings, strong garden walls, and clearly defined entries on the harbour side, and a continuous and articulated wall of buildings on the south side.

South-eastern side

A variety of roof forms is encouraged

Build to the street alignment with walls, windows, loggias, balconies and terraces above street level

Protect privacy of residential neighbours opposite

Protect privacy of residential neighbours opposite


Typical profile of existing buildings

Commercial/residential uses above street level

Build to the street alignment with glazed retail frontage at street level

Widen existing footpath

Minimise vehicular crossings




North-western side

For residential zoned land refer to Part B of this DCP

FIGURE 6 View down Collins Avenue from Caledonian Road



D6.4.10 Vickery Avenue



Strategy

- ▶ Strengthen the landscape quality of the street as an entry to Lyne Park with a strong visual connection to the harbour and link to Tingira Reserve.

D6.5 Built form envelopes: control drawings

D6.5.1 Urban form methodology

This section contains control drawings which show building envelopes for every site in the Rose Bay Centre. The envelopes have been tailored to each site, taking into consideration its particular characteristics.

These include:

- its relationship to the public domain- whether it is located in the Core or a Transition Area, or adjacent to a public park or square;
- the desired future character of the street in which the site is situated;
- its size and orientation;
- the significance of existing buildings and landscape;
- its optimum development potential; and
- the potential of adjoining private properties.














This Urban Form Methodology defines a physical outcome for the centre, whilst encouraging innovative architectural design within the building envelopes given. It provides a greater certainty of outcome for Council, community and site owners.

Controls for the ground floor and upper floor levels differ. At street level the integration of retail and commercial uses, gardens areas, vehicular access and street awnings, are the primary needs to be considered. Upper floor level envelopes are designed to facilitate quality residential and commercial development. For this reason there are two control drawings for each urban block in the Rose Bay Centre, illustrating the ground floor and upper floor level envelopes for every site.

The control drawings in this section should be read in conjunction with Section D6.6 which provides further explanation of the envelopes, and introduces other relevant guidelines and controls.

D6.5.2 Explanatory legend

The control drawings incorporate the following graphic symbols:

BUILDING ENVELOPE	
	100% of this area per floor may be built on
	50% of this area per floor may be built on
	PREFERRED BUILDING LINE
	Maximum building zone depths or setbacks Where side setbacks are indicated assume 1m unless otherwise stated
AREA FOR ARTICULATION	
	
ROOF TERRACE	
	
AWNINGS	
	Continuous
	Discontinuous
	Awning to ground floor level below
	PREFERRED VEHICULAR ACCESS FRONTAGE
	PREFERRED PEDESTRIAN ACCESS FRONTAGE
DEEP SOIL LANDSCAPED AREA	
	Minimum percentage of deep soil landscaped area
COLONNADE ZONE	
	


D6.5.3 Rose Bay Centre urban form




D6.5.4 Control drawing 1

Upper floor level controls


New South Head Road (north) / Collins Avenue




Ground floor level controls



Upper floor level controls
New South Head Road (south)
between Norwich Road and
Newcastle Street




PERCIVAL
PARK



D6.5.6 Control drawing 3

Upper floor level controls New South Head Road / Dover Road / Ian Street




Ground floor level controls



D6.5.7 Control drawing 4

Upper floor level controls
New South Head Road (south)
/ Dover Road / Newcastle
Street Wilberforce car park
edge




Ground floor level controls



D6.5.8 Control drawing 5

Upper floor level controls
 New South Head Road (south)
 / Dover Road / Newcastle
 Street



Ground floor level controls



D6.6 Built form: Development objectives and controls

D6.6.1 General format

This section contains the development controls for identified building and site elements in the Rose Bay Centre which constitute its built form. It provides further explanation of the control drawings contained in Section D6.5 and introduces new controls not described in those drawings.

The following format is used:

Introduction

For most policies there is an introduction which explains the need and importance of including that particular element.

Objectives

The objectives define Council's intention. They relate to the aims and objectives in Section D6.3 Urban structure, and the desired future character outlined in Section D6.4 Street character.

Controls

The controls establish the means of achieving the objectives. The controls in this chapter are site specific. This means they have been tailored to each site taking into consideration both the private built form and public spaces, to define a desired future outcome.

This section of the DCP must be read in conjunction with the control drawings which illustrate the site-specific controls. Diagrams are incorporated to assist interpretation.

Not all objectives and controls will be relevant to every development. The applicant must nominate any guidelines and controls which they considered irrelevant, and justify that opinion.

D6.6.2 Use

The distinctive mix of small scale shops, restaurants and local services in the Rose Bay Centre creates a friendly street environment, and caters well for the daily needs of the centre's users. Continuous ground level retail frontage offers the benefits of safety, commercial activity and street life. The provision of commercial uses and housing on upper levels makes a significant contribution to the village character, providing street surveillance and activity in the centre outside business hours.

Objectives

- O1 Enhance the village character of the Rose Bay Centre by encouraging mixed use commercial and residential development.
- O2 Create active street frontages in the Rose Bay Centre by locating retail, commercial and community uses at street level.
- O3 Discourage large scale retail establishments, by limiting the frontage width of individual retail tenancies.

Controls

- C1 Design for a mix of uses within buildings.
- C2 Design adaptable and durable buildings, spaces and places.
- C3 Design for retail, commercial and community uses at ground floor.
- C4 Access to residential uses should not occupy more than 20% of a site's frontage.
- C5 The maximum retail frontage for individual tenancies is 15m.

FIGURE 7 Building use

Retain the range and intensity of existing retail uses in Rose Bay by limiting the width of retail frontages



D6.6.3 Urban character

6.6.3.1 Building envelopes

The building envelope sets the position of the building on the site, and is described on the control drawings. Buildings in the Rose Bay Core are generally row buildings, with development concentrated to the street frontage. They have no side setbacks at the street frontage so clearly define the edges of the street. Buildings are massed away from the centre of blocks, encouraging solar access, natural ventilation and privacy.

Buildings in the Transition Areas are also concentrated towards the street and are built on or close to the street alignment, accommodating private gardens at the rear in many places. Contiguous front gardens in some areas such as Richmond Road make a significant contribution to the streetscape quality.

The building envelopes in Sections 6.5.2-6.5.8 have been designed to work in conjunction with the height and floor space ratio (FSR) controls in Woollahra LEP 2014.

Note: The maximum FSR for the centre is generally 2:1. The maximum height of buildings is generally 14.1m (4 storeys). Bonus height and FSR applies to 682-696 New South Head Road, subject to the provision of the Rose Bay Public Square (see Section 6.6.10.1).

Objectives

- O1 Enhance the urban village character of the Rose Bay centre by encouraging a coherent street character with consistent building types built to, or parallel to the street alignment.
- O2 Take advantage of the centre's unique assets by orientating buildings to address parks and the harbour where possible.
- O3 Retain and promote the pattern of perimeter block development to ensure a high level of amenity to all new development.
- O4 Create exterior garden and courtyard spaces.
- O5 Accommodate commercial uses by allowing deep building footprints at the ground floor level only.

Controls

- C1 Development may only occur within the building envelopes shown on the control drawings (see Sections 6.5.2-6.5.8).
- C2 Well-designed buildings which achieve the maximum height are encouraged, to enhance the definition of the street edge.
- C3 The maximum permissible building depth above ground level is 12m.
- C4 A minimum floor to ceiling height of 2.7m for habitable spaces applies in the centre to provide quality internal environments and facilitate future adaptability of uses.

C5 The minimum floor to floor heights for the Rose Bay Centre comply with the table below.

Level	Use	Height
Ground floor	Retail ¹	4m
Levels 2	Commercial office or residential	3.4m
Levels 3-5	Residential	3.1m

¹ Applicants may choose to vary storey height using 3.7m height for ground floor and Level 2 to create double storey spaces with a combined floor to floor height of 7.4m.

FIGURE 8 Building envelope – Potential architectural resolution within a building envelope





FIGURE 9 Three dimensional controls – Highlighting the building envelope



6.6.3.2 Setbacks

The dominant building type in the Core is the party wall building with zero front and side setbacks.

In Transition Areas the architectural typology is more varied and includes free-standing buildings with relatively small side setbacks. The prevalent building alignment is generally close to the street, accommodating small front gardens and entry porches in some places.

Corner buildings throughout the centre are built to both street alignments, providing strong corner definition.

Objectives


- O1 Retain and enhance the predominant pattern of row buildings only in the Rose Bay Core, and row and free-standing buildings in the Transition Areas.

Controls

- C1 Building alignment should comply with the building lines shown on the control drawings (see Sections 6.5.2-6.5.8)
- C2 Primary door and window openings in living areas should be located towards the street and/or rear garden to protect privacy and encourage integrated private open spaces. Living areas with primary openings facing the side boundary should be avoided.

- C3 The design of corner buildings should be considered in relation to street geometry, topography, sight lines and the design of skyline elements.
- C4 Front setbacks are identified as building lines on the control drawings (see Sections 6.5.2-6.5.8). Front setbacks should:
- a) define a coherent alignment to the public domain;
 - b) accentuate significant street corners; and
 - c) accommodate contiguous front gardens in identified areas.
- C5 Side setbacks should:
- a) protect privacy to adjoining buildings;
 - b) protect access to natural light and ventilation;
 - c) provide pedestrian access to the rear of buildings;
 - d) facilitate views from the public domain to the harbour where possible; and
 - e) allow stormwater to flow towards the harbour.
- C6 Rear setbacks should:
- a) provide consolidated landscaped areas at the centre of blocks adjoining residential areas;
 - b) facilitate natural infiltration of stormwater;
 - c) protect privacy to adjoining buildings and gardens; and
 - d) facilitate solar access.

FIGURE 10 Side setbacks – Facilitate views from the public domain to the harbour



6.6.3.3 Building articulation

Building articulation refers to the three dimensional modelling of a building. The control drawings indicate the area for building articulation on a site by site basis (see Sections 6.5.2-6.5.8).

The Street Façade Articulation Zone (SFAZ) establishes the relationship between a building and the street, through the use of entry porches, loggias, balconies, bay windows and the like. Building facades can be articulated to create a strong street address, and enrich the character of the street. The Dover Road frontage of the Rose Bay Hotel in particular, is an excellent example of a well-articulated facade.

Building articulation should respond to environmental conditions such as orientation, noise, breezes, privacy and views, through the use of appropriate sun shading devices, noise barriers, privacy screens, and the careful location of balconies, terraces and loggias. At the rear of a building, articulation should enhance the relationship between the interior and the garden.

The building line determines the position of the facade wall. In certain areas of Rose Bay the building line has been setback from the street alignment. Compliance with this control is required to ensure that the façade aligns with the neighbours at the side boundary. The SFAZ is positioned behind this building line.

The SFAZ is occupied by two types of space:

- External:
 - open balconies;
 - void not occupied by built form; and
 - recessed balconies counted in proportion to the amount of the façade they are open to.
- Internal:
 - habitable rooms;
 - bay windows;
 - enclosed balconies; and
 - wintergardens.

Objectives

- 01 Promote buildings of articulated design and massing, with building facades that contribute to the character of the street, and provide usable private external spaces.
- 02 Encourage buildings to respond to environmental conditions, and promote energy efficient design principles.
- 03 Utilise building articulation elements of appropriate scale to their use and context.
- 04 Reinforce the development pattern of buildings on the street alignment in the Core.
- 05 Reinforce the more open streetscape quality in the Transition Areas.

Controls

- C1 To achieve high quality architectural resolution on frontages that address a street, the following percentages of internal and external space should be incorporated with the composition of the building for all floors above ground level.

Note: The use of a palette of articulation elements is recommended to achieve high quality architectural resolution.

Arrangement ONE - Street Façade Articulation of buildings in the Core area:

- Buildings in the core area must provide 80% internal space and 20% external space in the SFAZ.
- Where the control diagrams indicate that articulation on parts of the building envelope that are not in the SFAZ, the mix of internal and external space is discretionary.

Note: This variation requires that the majority of the SFAZ is expressed as solid producing a more building suited to the activity associated with the business core.

FIGURE 11 Street façade articulation in the Core Area – refer to Articulation Arrangement ONE





FIGURE 12 Three dimensional controls – Highlighting the area for building articulation in the Core



Arrangement TWO - Street Façade Articulation of buildings in the Transition Area:

- Buildings in the Transition Area must provide 30% internal space and 70% external space in the SFAZ.
- Buildings on New South Head Road should be designed to reduce amenity impacts from traffic noise. Bedrooms should be located away from noise sources.
- Private open space elements such as balconies, should be predominantly north, east and west facing, and should be designed to ensure visual and acoustic privacy of occupants and neighbours.
- Where the control diagrams indicate that articulation on parts of the building envelope that are not in the SFAZ, the mix of internal and external space is discretionary.

Note: This variation requires a far more open façade compared to the core with greater potential for larger residential balconies.

FIGURE 13 Street façade articulation in the Transition Area – refer to Articulation Arrangement TWO





FIGURE 14 Three dimensional controls – Highlighting the area for building articulation in the Transition Area

UPPER FLOOR LEVEL CONTROLS

ISOMETRIC
area for
building
articulation
shaded

GROUND FLOOR LEVEL CONTROLS



6.6.3.4 Heritage and conservation

Council supports the conservation of the rich mixture of buildings, parks and places of special significance within the Municipality. Woollahra LEP 2014 contains various controls on the conservation of items and areas of environmental and heritage significance. The LEP also contains incentives for developments which include the conservation of heritage items.

The Rose Bay Hotel, the former Rose Bay Post Office and two pines in Vickery Avenue are the only listed heritage items in the Rose Bay Centre. The Rose Bay Centre Urban Design Study 1998 identified an additional five character buildings which are shown in Figure 16. These buildings have high streetscape value because of their strong architectural character and the way in which they address the street. There are no heritage conservation areas in the Rose Bay Centre.

The grove of paperbarks adjoining the west side of Norwich Road is heritage listed and included on the significant tree register. The paperbarks contribute to the streetscape of Norwich Road by providing a soft edge and afternoon shade. Other tree groves which make a contribution to the streetscape are the bushbox on Richmond Road and figs on Caledonian Road. These two groves are on both sides of the road and form a united canopy shading the road and footpaths.

Objectives

- 01 Protect and enhance items of environmental and heritage significance and character buildings (see Figure 16 Character buildings).
- 02 All new developments and works to existing developments are to be designed to be compatible with the heritage significance of listed heritage items and nominated character buildings.

Controls


- C1 Development proposals on sites containing heritage items must retain heritage significance.
- C2 Development proposals on sites containing character buildings or heritage items must demonstrate that the architectural and streetscape value of the building would be retained or enhanced by the proposal.
- C3 Development to a character building or heritage item is to respect the building and complement and enhance the key characteristics of the building including:
 - a) street edge definition;
 - b) its material, detailing and character;
 - c) its holistic building character related to articulation, massing, and patterns and distribution of wall opening.

Note: Where a development involves a heritage item, a statement of heritage impact must be lodged with a development application. That statement must set out the heritage significance of the place and the effect the proposed works will have on the significance of the heritage item.

FIGURE 15 Rose Bay Hotel



FIGURE 16 Character buildings



6.6.3.5 Architectural resolution

Buildings in the Rose Bay Centre represent a cross section of 20th century architecture, with no period predominating, and are of varied quality. High quality architectural resolution can help to define a local identity.

Objectives

- 01 Promote high quality architectural design throughout the Rose Bay Centre to create a desirable living and working environment.
- 02 Encourage a more coherent streetscape.
- 03 Minimise the negative impacts of glare and reflectivity on adjoining public and private properties.
- 04 To ensure that development enhances the visual quality and identity of the centre through well considered design, high quality materials and facade colours that do not dominate the street.

Controls

- C1 A clear street address to each building should be provided. Pedestrian entries should be well defined.
- C2 Vehicular entries should be discrete and minimise conflicts with pedestrians.
- C3 Materials which are compatible with the existing development context, such as red face brick and rendered masonry, should be encouraged in street facade design.
- C4 The colour of the building facade is not intrusive or unreasonably dominant within the streetscape, and is compatible with the character of the centre. Exterior colours should be appropriate to the context, and should not draw undue attention to the building. The external painting of a building in bright colours, corporate colours or fluorescent colours should be avoided. Any individual business branding and identity in external painting and colour schemes is to be subordinate to the main colour schemes in the street. (Also refer to Part E of this DCP, Chapter E7 Signage, When external painting of a building constitutes a wall sign).
- C5 New buildings and facades do not result in glare that causes discomfort or threatens safety of pedestrians or drivers.
Note: A reflectivity report that analyses the potential glare from the proposed new development on pedestrians or motorists may be required.
- C6 Extensive areas of unprotected glazing are not permitted.
- C7 Predominantly glazed shopfronts are to be provided to ground floor retail areas.
- C8 Street corners are to be strengthened by massing and building articulation.
- C9 Roller shutters to shopfronts are not permitted.

- C10 The design of window and balcony openings should take into account the streetscape, heritage items, privacy, orientation and outlook.
- C11 Blank party walls are to be avoided.
- C12 Facades are to be richly articulated and should express the different levels of the building and/or its functions.
- C13 Commercial space should be designed to permit maximum flexibility for future uses.
- C14 All rooms above ground floor level, including kitchens and bathrooms, are to have windows/skylights wherever possible.
- C15 The residential component of buildings must contain a variety of apartment sizes and layouts.

FIGURE 17 Facades – Richly articulated with deep modelling and shadows



6.6.3.6 Roof design

The Rose Bay Centre Core is characterised by a predominance of buildings with articulated parapets, which contribute to its urban quality.

Roof forms vary with building type and architectural style in the Transition Areas, and include hips, gables, flat roofs and parapets.

Objectives

- O1 Promote design that contributes to the definition of the Core.
- O2 Encourage roof design to create a distinctive silhouette to buildings.

Controls


- C1 The use of parapets is encouraged in the Core.
- C2 The profile and silhouette of parapets, eaves and roof top elements must be considered in roof design.
- C3 Where pitched roofs are proposed, the angle of the pitch should be compatible with the existing development context.
- C4 Roof design should minimise building bulk and overshadowing.
- C5 Roof terraces are encouraged (see detailed provisions in Section 6.6.5.2 Above ground open space).
- C6 Air conditioning plant and equipment must be concealed from the exterior and be within the building. When roof plant is proposed it must be integrated with the design of the roof and the composition of the building and not be readily visible from the public domain.

FIGURE 18 Roof design – Pitched roofs integrated with broken parapet lines in the Core



FIGURE 19 Roof design – Roof forms must be contained within the building envelope.

Varying roof forms including hips, gables, flat roofs and parapets are encouraged in the Transition Areas



6.6.3.7 Awnings

Relatively continuous awnings provide wet weather protection and shade to shoppers in the busy Core. Awnings in the Transition Areas are more varied and less continuous, and are often used to highlight building entrances.

Objectives

Core

- O1 Retain and supplement the existing awnings to provide continuous and coherent awning cover along footpaths.

Transition Areas

- O2 Retain and supplement the existing awnings to provide discontinuous awning cover along footpaths to accommodate new street tree planting.

Controls

Core

- C1 Development must provide continuous awnings to street frontages as indicated on the control drawings. Awning design should be suspended steel box section type with a minimum soffit height of 3.2m. Awning height should provide continuity with adjoining properties.
- C2 Canvas blinds along the outer edge of awnings may be used to provide sun shading to the east and west facades. These blinds must not carry signage or advertising.

Transition Areas

- C3 Development must provide discontinuous awnings where indicated on the control drawings. These awnings should provide cover to building entrances.
- C4 The provision of under awning lighting is encouraged. Under awning lighting may be recessed into the soffit of the awning or wall mounted on the building.




FIGURE 20 Awning design

Suspended steel box section type with a minimum soffit height of 3.2m




FIGURE 21 Three dimensional controls – Core area
Highlighting the continuous awnings

UPPER FLOOR LEVEL CONTROLS

ISOMETRIC
Awning shaded

GROUND FLOOR LEVEL CONTROLS




FIGURE 22 Three dimensional controls –
Transition area

Highlighting the discontinuous awning zone which accommodates street tree planting.

6.6.3.8 Public art

Public art in developments can enhance the experience of the occupants and contribute to a sense of place.

Objectives

- O1 To require the provision of public art in significant or large-scale developments.
- O2 To integrate the public art so it is a cohesive part of the building design, interior or landscaping of the development.
- O3 To design and locate the public art so that the aesthetics and amenity of the art can be appreciated by people within and outside the development.
- O4 To enhance the experience of the occupants of the development and their relationship with the development through public art.
- O5 To use public art to facilitate a connectedness between the development and the public domain.

Controls

- C1 Development with a capital investment value of \$15M or more includes public art.
- C2 The public art is installed on the development site or in the immediate vicinity of the site.
- C3 The public art is located so that it is not unreasonably inaccessible or obscured by a building element which makes it impossible to see in full by the building occupants and the general public.
- C4 The public art is prepared and undertaken in accordance with the Woollahra Public Art Guidelines for Developers.

D6.6.4 Visual and acoustic privacy

Privacy is an important consideration in relation to the residential component of the Rose Bay Centre and neighbours adjacent to the centre, as it is a major determinant of environmental amenity.

Objectives

- O1 Ensure adequate visual and acoustic privacy to residential apartments in the centre and private open spaces.
- O2 Protect the privacy of adjacent residential neighbours.

Controls

Visual privacy

- C1 Visual privacy is to be protected by providing adequate distance between opposite windows of neighbouring dwellings where direct view is not restricted by screening or planting (see Figure 23 Visual and acoustic privacy).
- C2 Main living spaces are to be oriented to the street or rear garden to avoid overlooking between neighbouring properties. Living areas with primary openings facing the side boundary should be avoided.


Acoustic privacy

- C3 Buildings are to be sited to minimise the transmission of external noise to other buildings on the site and on adjacent land.
- C4 The internal layout of rooms, courtyards, terraces and balconies, the use of openings, screens and blade walls, and choice of materials, should be designed to minimise the transmission of noise externally.
- C5 Bedroom areas are separated by way of barriers or distance, from on-site noise sources such as active recreation areas, car parks, vehicle accessways and service equipment areas.
- C6 Restaurants and cafes should be designed to minimise the impact of noise associated with late night operation, on nearby residents.
- C7 Rear courtyards would only be permitted for restaurant use if Council is satisfied that the hours of operation would not have an unreasonable impact on residential amenity
- C8 Noise impact associated with goods delivery and garbage collection, particularly early morning, should be minimised.

Note: Council may require a Noise Impact Assessment Report to accompany a Development Application.

FIGURE 23 Visual and acoustic privacy


Minimum distances for visual and acoustic privacy



 **Habitable room**

A room used for normal domestic activities that includes: a bedroom, living room, lounge room, music room, television room, dining room, sewing room, study, playroom, sunroom and kitchen.

 **Non-habitable room**



A room of a specialised service nature occupied neither frequently nor for extended periods, including a bathroom, laundry, water closet, food storage pantry, walk in wardrobe, corridor, hallway, lobby or clothes drying room.

FIGURE 24 Ensure adequate separation between unscreened balconies
Privacy at ground floor level provided by suitable sill heights and planting




FIGURE 25 Careful location of balconies can increase privacy and reduce their separation





FIGURE 26 Vegetation and balcony screening can increase separation to ensure privacy.



D6.6.5 Private open space

Private open space includes landscaped area (such as permeable garden areas), and above ground open space such as roof gardens over car parking, terraces, loggias, balconies or decks. The accessibility of comfortable private and communal outdoor living areas is a major determinant of the ability of occupants to enjoy living and working in the centre. Open space plays an important role in the identity of the Rose Bay Centre, and assists stormwater management.

6.6.5.1 Landscaped area

Landscaped area is an important contributing factor to the identity of the Rose Bay Centre.

Whilst the provision of deep soil landscaped area in the Core is limited due to the deep plan requirements of shops on the ground floor, the existing leafy character of the Transition Areas is formed in a large part by private gardens, which collectively create larger scale landscape spaces.

Deep soil landscaped areas play an important role in stormwater management. Contiguous garden areas assist site drainage and reducing runoff.

There is no deep soil landscaped area requirement for sites located in the Core.

FIGURE 27 Three dimensional controls – Highlighting the area for deep soil landscaped area






FIGURE 28 Rear gardens

At least 50% of the area nominated in the control drawing should contain deep soil landscaped area

**FIGURE 29** Contiguous gardens

Create contiguous garden areas to form large scale landscape space



Objectives

- O1 Maintain and enhance landscape quality on private land.
- O2 Encourage contiguous rear garden areas in the middle of blocks to enable retention of existing significant trees and to allow new planting of tall trees.
- O3 Encourage contiguous front garden areas to strengthen the street character and allow street surveillance.
- O4 Assist in stormwater control by maximising on-site infiltration through the use of permeable surfaces, and providing stormwater detention in the consolidated landscape areas.
- O5 Encourage the use of planting to assist in energy conservation in buildings and comfort of outdoor living areas, and to protect privacy through screening.

Controls

General

- C1 The area of deep soil landscaped area should be at least 50% of the area outside the building envelope.
- C2 Planting of larger trees is encouraged to maintain Rose Bay's existing leafy quality. Where views are an issue, plant high branching native trees, or deciduous trees. In smaller courtyard spaces deciduous tree planting is preferred.
- C3 Provide trees and pergolas to shade external areas and control sunlight into buildings.
- C4 Paved areas and external structures must be sited to have minimum impact on existing significant trees.
- C5 A landscape plan is submitted as part of any development application that includes a component of multi dwelling housing.

Front gardens

- C6 Design front gardens to provide a positive setting for the building.
- C7 Design front gardens for security by providing adequate lighting to entrances. Avoid planting which may obscure the entry.
- C8 Garden structures such as gazebos, clothes lines, play equipment, swimming pools, spa baths and ponds, are not permitted in front gardens.
- C9 Garages and parking structures are not permitted forward of the building alignment.
- C10 Minimise the impact of driveways in front gardens by design, materials selection and appropriate screen planting.
- C11 Driveways, kerb crossings, parking, paved areas and external structures must be sited to have minimum impact on the root zone of existing street trees.

6.6.5.2 Above ground open space

The provision of deep soil landscaped areas, particularly in the Core is limited due to the deep plan requirements of shops on the ground floor, and underground parking. In these areas open space must be provided above ground, as roof gardens over car parking, roof terraces, loggias, balconies, and verandahs (refer to control drawings in Sections 6.5.2-6.5.8).

Objectives

- O1 Ensure every dwelling in the Rose Bay Centre has access to private open space by providing usable above ground open space on sites where there is no requirement for deep soil landscaped area. Refer to control drawings.
- O2 Encourage occupied roof areas with roof gardens behind parapets where private open space at ground level is not available.

Controls

- C1 Where direct access to ground level private open space is not available, provide at least one balcony, terrace, verandah, loggia, roof terrace or deck for each dwelling, within the area nominated for building articulation. The minimum area of this element is determined by the dwelling size (see table). The minimum permissible depth is 1.8m and the preferred depth is 2.4m. This element should be accessible from a principal living space.

Dwelling size	Minimum required area of above ground open space
Small dwelling: Up to 60m ²	8m ²
Medium dwelling: 60m ² - 90m ²	12m ²
Large dwelling: More than 90m ²	16m ²

- C2 Roof terraces and balconies must be designed to protect the privacy of neighbours.
- C3 The profile and silhouette of parapets, eaves and roof top elements must be considered in roof terrace design to provide an attractive building finish when viewed from the public and private domain.
- C4 Lightweight pergolas, sun screens, privacy screens and planters are permitted on the roof, provided they do not increase the bulk of the building, and do not significantly affect the views enjoyed by adjoining properties, or those in the vicinity or on the nearby ridges.
- C5 Plantings over underground structures should have sufficient soil depth to allow sustainable planting.


Note: A site specific landscape specification is to be prepared for landscaping above underground structures. The specification should include considerations such as plant species, soil depth and drainage.

FIGURE 30 Above ground open space

Lightweight pergolas, sun screens and planters can enhance the quality of roof spaces, and provide privacy



FIGURE 31 Three dimensional controls – Highlighting the area for roof terraces



6.6.5.3 Front fences

Front fences occur only in the Transition Areas in the Rose Bay Centre where buildings are set back from the street alignment. They are generally integrated with the architecture of the building, enhancing its character, and contributing to the visual appeal of the street.

Objectives

- O1 Encourage the design of front fences which enrich the streetscape in Transition Areas.
- O2 Ensure street surveillance is possible to assist safety.

Controls

- C1 The maximum height of front fences is 1.2m.
- C2 Fences should be integrated with the building and landscape design through the use of materials and detailing.
- C3 Fences should highlight building entrances, and allow for outlook and street surveillance.

D6.6.6 Solar access and natural ventilation

6.6.6.1 Solar access

Solar access is a major determinant of environmental comfort. Good passive solar design offers financial benefits by reducing the need for artificial heating and cooling.

Objectives

- O1 Minimise overshadowing of adjoining properties or publicly accessible spaces.
- O2 Building form, spacing, and layout should facilitate good solar access to both the internal and external living spaces, to maximise natural heating and cooling and minimise the use of artificial systems.

Controls

- C1 Development should comply with the control drawings in Section D6.5 to ensure adequate solar access is provided to neighbouring properties.
- C2 Development which does not comply with the control diagrams must maintain existing solar access to existing development for at least three hours between 9am and 3pm on 21 June

to north facing windows of habitable rooms, and at least two hours to at least 50% of the private open space.

- C3 Access to sunlight should be achieved for a minimum period of three hours between 9am and 3pm on 21 June to windows of habitable rooms and two hours to private open space of new development.
- C4 The overshadowing effect of new buildings on public domain areas are to be considered for the hours of 10am to 2pm on 21 March, 21 June and 24 September.
- C5 Locate main living spaces including lounge, dining, kitchen and family rooms towards the north where possible. Consideration should also be given to slope, views, existing vegetation, overshadowing and streetscape.
- C6 Skylights which provide the sole source of daylight and ventilation to habitable rooms are not permitted in residential or commercial areas.




FIGURE 32 Solar access

Building form modulated within envelope to maximise good solar access to internal and external living spaces

6.6.6.2 Natural ventilation


Building envelopes in this chapter encourage building depths on floors above street level that allow good natural ventilation and light. The location of the Rose Bay Centre in proximity to the harbour provides access to cooling summer breezes.

Objectives

- O1 All buildings should be designed for good natural ventilation.

Controls

- C1 Provide windows to all rooms above ground floor level, including kitchens and bathrooms, to facilitate natural light and ventilation. Minimise the reliance on mechanical ventilation or air conditioning above ground level.
- C2 Facilitate cross ventilation by locating windows opposite each other where possible. The placement of small low windows on the windward side of a building, and larger higher windows on the leeward side, will encourage cross ventilation.

**FIGURE 33** Cross ventilation

Thin cross-section design achieves good cross ventilation and avoids need for internal rooms

D6.6.7 Parking and servicing

6.6.7.1 On-site parking

On-site parking includes surface parking areas, car parking structures, semi-basement and underground parking areas.

The opportunity for on-site parking is restricted in many areas of the Rose Bay Centre. The narrow width of some lots makes it impossible to accommodate more than two spaces onsite, and site excavation for underground parking is made difficult by the level of the existing water table in the centre.

This chapter aims to satisfy the parking demand likely to be generated by future development, whilst facilitating the redevelopment of narrow sites and discouraging over-reliance on cars.

Objectives

- O1 Facilitate the redevelopment or incremental development of narrow sites by implementing a parking contributions scheme to provide public car parking.
- O2 Ensure the impact of car parking on the site and streetscape is handled discretely.
- O3 Ensure the design of on-site car parking is safe and efficient, and integrated with the overall site and building design.
- O4 Maximise natural light and ventilation to parking areas where possible.

Controls

General

- C1 Car parking provision must comply with Part E of this DCP, the Chapter E1 Parking and Access.
- C2 Car parking should be incorporated within the building, behind the building alignment.
- C3 Consolidated parking areas should be provided below ground or screened from the street and concentrated under building footprints, to maximise the area for landscaped area.
- C4 Basement parking should be naturally lit and ventilated, where practical.

Note: Where the parking involves excavation, Council will normally require geotechnical and hydrological reports prepared in accordance with the Council's 'Guide for preparing Geotechnical and Hydrogeological Reports' to demonstrate that there are no adverse geotechnical or hydrogeological impacts on any surrounding property and infrastructure as a consequence of the carrying out of development.

Retail component

- C5 Retail development is required to provide a minimum of 20% of the required parking as an off-site contribution with the balance of the spaces provided on-site as private parking. The provisions for the off-site contribution are detailed in the Woollahra Section 94 Contributions Plan.

Commercial component

- C6 Commercial development is required to provide a minimum of 80% of the required parking on-site as private parking with the balance of the required spaces provided as an off-site contribution.
- C7 The provisions for the off-site contribution are detailed in the Woollahra Section 94 Contributions Plan.

6.6.7.2 Vehicular access

Vehicular access frontage, as indicated on the control drawings, is the preferred location for vehicular access to private sites (see Sections 6.5.2-6.5.8).

The continuity of retail frontages contributes to the liveliness of the Rose Bay Centre and its village character. Vehicular crossings interrupt street activity, diminish the amenity of the place, and reduce the area for public on-street parking.

Objectives

- O1 Encourage discrete access to car parking and servicing.
- O2 Maximise retail frontage in nominated streets.
- O3 Maximise pedestrian safety and amenity by minimising conflict with vehicles.

Controls

- C1 In the Core vehicular access is only permitted via a rear lane, rear right of way, or side street.
- C2 In the Transition Areas vehicular access must be via a rear lane, rear right of way, or side street where such access is available.
- C3 Driveway widths should be minimised.
- C4 Allow up to one two-way driveway per development. Two single driveways may only be provided where the distance between crossings exceeds 30m.
- C5 Driveways to underground car parks should be designed with minimal visual impact on the street, and maximum pedestrian safety. Pedestrian access to the development should be separate and clearly defined. Garage doors should be set back. Access ways to underground car parking should not be located in direct proximity to doors or windows to habitable rooms.
- C6 Driveways and kerb crossings must be sited to have minimum impact on the root zone of existing street trees (refer to the Public Domain Improvements Plan and Streetscape Design Manual advice from Council's Technical Services Division).
- C7 Driveways must be located in alignment with the garage. They must occupy a minimum proportion of any front garden area.

FIGURE 34 Three dimensional controls – Highlighting the preferred vehicular access frontage




FIGURE 35 Vehicular access

Driveways and garages designed with minimal impact on the street.
Garages set back with pedestrian access separate and clearly defined.



D6.6.8 Geotechnology and hydrogeology

Council will normally require geotechnical and hydrogeological reports for development applications which include below ground structures.

Any proposed development with below ground structures must consider the sub-surface conditions and the effects of construction on adjacent properties. In addition, those which are likely to extend below the level of seasonal fluctuations in the groundwater table, must also consider the effect of any changes induced in the sub-surface water levels and the groundwater flow patterns on adjacent properties. Unless site specific information exists to the contrary, excavations deeper than 1m must be assumed to have this potential to intersect the groundwater level.

Council's principal objective is to ensure there are no adverse geotechnical and hydrogeological impacts on any surrounding property and infrastructure as a result of development, during and after construction. Typically, adverse geotechnical impacts may include vibration induced settlements from construction methods and equipment and inadequate support of adjacent land during and after construction. Typically adverse hydrogeological impacts may include settlement induced by changes in the groundwater level and seepage problems.

Objectives

Buildings must be designed and constructed with appropriate support and retention systems to ensure that:

- 01 There will be no ground settlement or movement, during and after construction, sufficient to cause an adverse impact on adjoining properties and infrastructure.

- O2 There will be no change to the ground water level, during and after construction, sufficient to cause an adverse impact on surrounding properties and infrastructure.
- O3 Vibration during construction is minimised or eliminated to ensure no adverse impact on surrounding properties and infrastructure.
- O4 The risk of damage to adjacent existing property and infrastructure by the new development will be reduced to a level no greater than that from an event with an “unlikely” likelihood of occurrence and “minor” consequence.

In this control “adverse impact” means any damage caused to the improvements on adjoining properties by the demolition, excavation or construction on the development site.

Controls

- C1 Excavation below 1m is accompanied by a geotechnical report and a structural report to demonstrate that the works will not have any adverse effect on the neighbouring structures.

Note: Council may identify other circumstances where these reports are required. All reports must be prepared in accordance with Council’s guidelines. Council may also require the preparation and submission of a pre-commencement dilapidation report for properties neighbouring the development. Development applications include a design statement and supporting drawings (if necessary) that show the proposed design measures minimise risk and ensure that no adverse impacts will occur.

D6.6.9 Site facilities

Site facilities include loading areas, garbage areas, fire safety systems, mail boxes, external stores, laundries and clothes drying areas. Development should provide appropriate site facilities for retail, commercial and residential uses, and minimise impact on the streetscape.

Objectives

- O1 Ensure adequate provision of site facilities.
- O2 Ensure site facilities are accessible, functional and unobtrusive.

Controls

- C1 Loading facilities must be provided via a rear lane or side street where such access is available.

Any development which includes a residential component must provide laundry facilities, and at least one external clothes drying area. The public visibility of this area should be minimised.

C2 Hydraulic fire services such as fire hydrants and booster installations are concealed. These services are to be:

- a) enclosed with doors if located in the building façade, or
- b) housed in a cabinet or enclosure if located external to the building.

The location, design, colour and material of the doors, cabinet or enclosure are visually unobtrusive and suitably integrated with the development, including any fencing and landscaping.

C3 Lockable mail boxes should be provided close to the street, and integrated with front fences or building entries.

C4 Buildings are designed to accommodate venting from ground floor uses, to avoid potential impacts from exhaust and odour, such as cooking smells.

C5 Air conditioning units should not be visible from the public domain.

D6.6.10 Application of bonuses

The Rose Bay Urban Design Study explored the urban potential of the centre, and sought feedback from the community reference group to identify a variety of public domain improvements including:

- ▶ a public square on New South Head Road linking the centre to the harbour foreshore;
- ▶ through block connections, such as arcades, shareways, and through shop links;
- ▶ a shop front community service facility; and
- ▶ public conveniences.

Council supports the construction of the facility and conveniences as part of private developments in the centre. Bonus FSR and height is available in Woollahra LEP 2014 for the provision of a public square.

It should be noted that provision of such facilities does not automatically mean that bonuses will be awarded. Each application will be dealt with on its merits.

Objectives

- O1 The aim of a bonus system is to encourage the provision of public benefits as part of the redevelopment of privately owned sites. In return Council will offer certain bonuses or concessions with regard to development standards and controls.

Controls

- C1 In determining the extent of bonuses granted, Council will examine the development against three general criteria:
- a) the need for the bonus facility, based on the recommendations of the Rose Bay Urban Design Study;
 - b) the design and usefulness of the bonus facility provided on site or within the building to the general community; and
 - c) the effect the inclusion of a bonus facility or facilities has on the building's bulk and form and the building's relationship with the character of adjoining development. This chapter identifies specific public facilities which Council wishes to encourage.

6.6.10.1 Rose Bay Centre Square

The Rose Bay Urban Design Study identified the need for a Rose Bay Village Centre. It proposed a 'square' on New South Head Road, linking the centre and the harbour foreshore, to create a focus for the centre and to take advantage of its unique setting. Figures 36 and 37 indicate the location of the proposed square and provide concept designs as a guide. Council will consider other designs on their merit.

To facilitate the square, Woollahra LEP 2014 permits a maximum building height of 17.2m (5 storeys) and FSR of 2.25:1, subject to the development being compatible with the desired future character of the centre. The desired future character is articulated by the controls below.


These maximum height and FSR controls proposed will only be granted to the properties identified in clause 4.4C of Woollahra LEP 2014, and only if the properties are the subject of a single development application.

FIGURE 36 Area designated for the Rose Bay Centre Square



FIGURE 37 Rose Bay Centre Square design concept

Generous square creating a strong link at the end of Newcastle Street between the centre and the harbour foreshore
Colonnades provide protected edges to the square



Objectives

- O1 Improve the visual and physical connection between the centre and the harbour foreshore.
- O2 Provide a memorable focus for the Rose Bay Centre.

Controls

To be considered for bonus provisions the square must comply with the following controls:

- C1 The square must be located in the area designated for the construction of the 'Rose Bay Centre Square' (see Figure 36 Area designated for the Rose Bay Centre Square) which corresponds to clause 4.4C in Woollahra LEP 2014.
- C2 The square must be a consolidated outdoor space open to the sky with a minimum area of 350m², excluding areas under colonnades.
- C3 The minimum aggregate width of the square along both the New South Head Road and Collins Avenue frontages is 9m. For example, a square with two open access points with a width of 4.5m each may be considered.
- C4 In mid-winter allow solar access to a minimum 30% of the area of the square at 12 noon and 70% of the area of the square at 3pm.
- C5 The maximum building coverage, including colonnades and building articulation, is 70% of the consolidated site area.
- C6 Provide a minimum 1.2m wide area for building articulation above street level to New South Head Road and the southern side of the square.
- C7 Provide a minimum 2.4m wide area for building articulation above street level to Collins Avenue and the northern side of the square.
- C8 A maximum internal plan depth of 12m above ground level applies (see Section 6.6.3.1 Building envelopes).
- C9 The inclusion of colonnades is encouraged to provide pedestrian amenity, encourage visual openness to the harbour, and as a distinctive and memorable characteristic of the square.
- C10 Any proposed colonnade must have a minimum soffit height of 3.2m. Colonnade design must be visually integrated with the development.
- C11 The levels and paving material within the colonnade should be contiguous with the surface of the square.
- C12 A wind study and shadow diagram must be submitted with the development application.

Note: Council will consider relaxation of one or a number of development standards and controls in its assessment of applications which include a public square as described above. However, it should be noted that such bonuses are not automatic and each application will be assessed on its merits.

A fifth storey is permissible as in Figure 37 above, subject to the following controls:

- C13 The area of the fifth storey must not exceed 40% of the consolidated site area.
- C14 The fifth storey must be set back the depth of the area for building articulation to minimise visibility from the public domain. For example, the minimum set back of the bonus storey from the new square is 2.4m.
- C15 The fifth storey should be designed to protect the privacy of adjacent dwellings, in particular those in Collins Avenue.

Development incentives

If the Rose Bay Centre Square is proposed the following incentives will be considered:

- I1 Allow up to 40% of the area of the square to be set aside for private lease for open air cafes and the like, to the benefit of the owners, if the area of the square is less than 600m².
- I2 Allow up to 60% of the area of the square to be set aside for private lease for open air cafes and the like, to the benefit of the owners, if the area of the square is greater than 600m².
- I3 Reduced on-site parking requirements.
- I4 Discounted Section 94 Contributions.

6.6.10.2 Through block connections


The Rose Bay Urban Design Study identified the need for better pedestrian and vehicular circulation within the centre. Council wishes to encourage the inclusion of ‘through block connections’, in specific areas, in private developments. These may include arcades, through shop links, shareways, laneways and rights of way.

Improved pedestrian access to and within public car parking areas is desirable to facilitate convenient use of the centre. There is potential to take better advantage of the centre’s unique location close to the harbour by providing better pedestrian access to Collins Avenue and Percival Park.

Servicing of shops and other commercial uses from the main street frontage, particularly along New South Head Road, Dover Road and Newcastle Street, disrupts the pedestrian amenity and on street parking spaces. In addition it creates conflict with the high volumes of traffic carried by these streets, particularly New South Head Road. In line with the stated design principle in section 6.6.7.2 Vehicular access, Council is keen to encourage the creation of rear lane access to commercial properties in the centre.

Council may consider the relaxation of one or a number of standards and controls depending on the quality of public area provided and the merits of the particular application.

Council will not relax any standards or controls unless it can be demonstrated that a proposal satisfies the underlying objectives of the DCP and that compliance with relevant development standards would be unnecessary or unreasonable in the circumstances of the case.

FIGURE 38 Areas designated for through block connections

Objectives

- O1 Improve the pedestrian circulation in the centre by providing arcades, through shop links, and shareways in key locations, as identified in Figure 38 Areas designated for through block connections and Figure 39 Detailed location plan.
- O2 Maximise views to the harbour from the public domain.
- O3 Facilitate rear site access for car parking and servicing to avoid vehicular crossings on principal streets by providing new laneways and rights of way as identified in Figure 38 Areas designated for through block connections and Figure 39 Detailed location plan.

Controls

- C1 Through block connections are encouraged by Council on the following basis:
 - a) Through block connections must be located in the areas shown in Figure 38 Areas designated for through block connections and Figure 39 Detailed location plan).
 - b) Through block connections must to the extent possible provide a clear sightline from one end to the other, for surveillance and accessibility, in any of the locations identified in Figure 38 Areas designated for through block connections and Figure 39 Detailed location plan.
 - c) Public use of through block connections should be available at least between the hours of 6am and 10pm daily.
- C2 Pedestrian safety and the security of adjacent businesses should be considered in the design of through block connections. Specific consideration must be given to street level lighting at night.
- C3 Through block connections must have a minimum width of 3m and be, clear of any obstruction, except for connections through shops.
- C4 Paving must be coordinated with public footpaths (refer to the Rose Bay Centre Public Domain Improvements Plan and seek advice from Technical Services).

The following controls apply to arcades:

- C5 Retail frontages are to be maximised along arcades.
- C6 Arcades must have substantial natural lighting and ventilation.

The following controls apply to new lanes:

- C7 Lanes must have a minimum width of 3m if one way, and 5m if two way.
- C8 Carriageways and drainage should be coordinated between developments that collectively create new lanes.
- C9 Lanes must provide rear service access to properties fronting New South Head Road, Dover Road or Newcastle Street to sites which currently have only one vehicular frontage.
- C10 Buildings should address new lanes to provide passive surveillance.
- C11 Applicants must demonstrate that the proposed service lane will be of benefit to the traffic circulation system in the Rose Bay Centre as a whole.

FIGURE 39 Detailed location plan

Red – Pedestrian link

Orange – Vehicular/pedestrian link





FIGURE 40 Arcades can improve circulation and provide additional retail frontage.




6.6.10.3 Community facility and public conveniences

The Rose Bay Urban Design Study identified the need for a community services facility and public conveniences in the Rose Bay Centre. Council may consider varying of one or a number of standards and controls depending on the suitability and merits of the facilities proposed.

Council will not relax any standards or controls unless it can be demonstrated that a proposal satisfies the underlying objectives of the DCP and that compliance with relevant development standards would be unnecessary or unreasonable in the circumstances of the case.

FIGURE 41 Area designated for the construction of a community facility (highlighted in red)



Objectives

- O1 Provide a conveniently located meeting place for the community, where Council and other public organisations can advertise available community services.
- O2 Provide accessible, safe and durable public conveniences which cater for the broad needs of the community.

Controls

Community facilities and public conveniences are encouraged by Council on the following basis:

- C1 The community facility should be located as identified in Figure 41 Area designated for the construction of a community facility.
- C2 The community facility must provide a community display area, public seating and public conveniences.
- C3 The minimum area of the community facility is 100m², including conveniences.
- C4 The community facility may incorporate a privately operated cafe.
- C5 The community facility should clearly address the public domain.
- C6 Public conveniences should be incorporated in building developments generally, and should cater for the needs of people with mobility disabilities such as the elderly, and the needs of parents with infants.
- C7 The provision of natural light and ventilation to public conveniences is highly desirable.